

MATERIAL SAFETY DATA SHEET

Product Name: Exterior Brush N Leaf

Product Code: EL BNL

Manufacturer: American Art Clay Co., Inc.
6060 Guion Road
Indianapolis, IN 46254

Information Number: (800) 374-1600
374-1600

Emergency Number: (800)

Section I – Product Identification

Product Name: Exterior Brush N Leaf Product Class: Craft Product Size: 1oz., 1 Gal.

Brass Gold, Old Gold

Section II – Hazardous Ingredients

Reportable Components Weight	CAS#	Vapor Pressure		
		Mm Hg @ Temp	Percent	
Clear Acrylic	64742-95-6	5.2	68°F	77.75

- Indicates toxic chemical(s) subject to reporting requirements of Section 313 of Title III and of 40 CFR 372 are present. This product carries the CL Seal. Labeling conforms to ASTM D4236. Section VI.

Section III – Physical / Chemical Characteristics

Boiling Range 311-420°F Specific Gravity (H2O=1): 0.18
Vapor Density: Heavier than air. Evaporation Rate: Slower than ether.
Coating V.O.C.: NA Material V.O.C.: 0.0 lb. /gal
Solubility in Water: NA
Appearance: Liquid

Section IV – Fire and Explosion Hazard Data

Flash Point: 107°F

Method Used: TCC

Flammable Limits in Air by Volume: Lower: NA Upper: NA

Extinguishing Media: Foam, CO₂, Dry Chemical, and Water Fog

Special Firefighting Procedures: See above information.

Unusual Fire and Explosion Hazards: Keep away from heat, sparks and open flame.

Section V – Reactivity Data

Stability: Stable

Conditions to Avoid: Avoid heat, sparks, flame and open flame.

Incompatibility (Materials to Avoid): Strong Oxidizing Agents.

Hazardous Decomposition or By Product: Will not occur.

Hazardous Polymerization: Will not occur.

Section VI – Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: Use in well ventilated room due to vapors. May cause headache, dizziness or nausea.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Eye irritation. Rinse eyes thoroughly with water for 15 minutes. If irritation persists, contact physician. Skin – Wash hands with soap and water.

Skin Absorption Health Risks and Symptoms of Exposure: Avoid prolong contact with skin. Skin irritant. Wash hands and use skin crème.

Ingestion Health Hazards and Symptoms of Exposure: Carries the CL Seal. Labeling conforms to ASTM D4236. TLV has not been established for the whole product.

Health Hazards (Acute / Chronic): Eye irritant. Excessive inhalation of vapors may cause headache, dizziness and nausea. May cause skin irritation.

Carcinogenicity: No – NTP Carcinogen No – IARC Monographs No – OSHA Regulated

Medical Conditions Generally Aggravated by Exposure: Unknown.

Emergency and First Aid Procedures: Contact your local poison control center for further health information.

Section VII – Precautions for Safe Handling and Use

Steps to be Taken In Case Material is Released or Spilled: Clean with paper towels.

Waste Disposal Method: Dispose of paper towels in trash. In manufacturing, dispose of in accordance to Local, State and Federal guidelines.

Precautions to be taken in Handling and Storing: Keep containers closed when not in use. Store in cool place well removed from strong oxidants, sources of ignition and building exits. Containers should be grounded (gal) and or bonded when material is transferred...

Other Precautions: NOT FOR USE BY CHILDREN OR IN HEALTHCARE FACILITIES.

Section VIII – Control Measures

Respiratory Protection: Adequate cross ventilation necessary due to vapors.

Ventilation: Adequate cross ventilation due to vapors.

Protective gloves: Not needed.

Eye Protection: Not needed.

Other Protective Clothing or Equipment: Not needed.

Work / Hygienic Practices: Refer to AMACO Product Encyclopedia and Safety Manual.

Section IX - Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except for those that may be contained in our written acknowledgement.

Prepared by: L. Jenkins
2009