

MATERIAL SAFETY DATA SHEET

Product: Egyptian Paste

Product Code: EP 70-D

Manufacturer's Name: American Art Clay Co. Inc.
6060 Guion Road
Indianapolis, IN 46254

Information Number: (800) 374-1600

Emergency Number: (800) 374-1600

Section I – Product Identification

Product Name: Egyptian Paste Product Class: Ceramic Clay Product Size: 1lb, 5lbs.
Yellow, Green, Mauve, White, Terra Cotta

Section II – Hazardous Ingredients

Reportable Components	CAS#	Vapor Pressure Mm Hg @ Temp	Weight Percent
Flint	14808-60-7		
Quartz:	ACGIH TLV .1mg/M3, OSHA PEL .1mg/M3 @ Respirable Dust		
Clay	1332-58-7		
Kaolin:	ACGIH TLV 2mg/M3, OSHA PEL 10mg/M3 @ Dust		

This product carries the CL Seal. Labeling conforms to ASTM D4236.

Section III – Physical /Chemical Characteristics

Boiling Range: NA Specific Gravity (H2O=1): 0.18
Vapor Density: Heavier than air Evaporation Rate: NA
Coating V.O.C.: NA Material V.O.C.: NA
Appearance and Odor: Dry (Various Colors)

Section IV – Fire and Explosion Hazards Data

Flash Point: NA Method Used: NA
Flammable Limits in Air by Volume: NA – Lower NA – Upper
Extinguishing Media: NA
Special Firefighting Procedures: No fire hazard.
Unusual Fire and Explosion Hazards: No fire hazard

Section V – Reactivity Data

Stability: Stable Conditions to Avoid: None
Incompatibility (Materials to Avoid): None
Hazardous Decomposition or Byproducts: Will not occur.
Hazardous Polymerization: Will not occur.

Section VI – Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: May cause damage to the lungs by inhalation of dust or mist. Possible cancer agent based on laboratory tests. Contains crystalline silica.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Eyes – rinse thoroughly for 15 minutes with water. If irritation persists contact physician. Skin – wash hands with soap and water after use.

Skin Absorption Health Risks and Symptoms of Exposure: None.

Ingestion Health Risks and Symptoms of Exposure: No hazardous ingredients.

Health Hazards (Acute / Chronic): May cause damage to the lungs by inhalation of dust or mists. Cancer agent based on laboratory tests. In moist form non-hazardous. **WARNING:** Detectable amounts of chemical known to the state of California to cause cancer, birth defects, or other reproductive harm may be found in this product. (Prop. 65 California Health & Safety code section 25249.6 ET. SEQ) Dry Clays.

Carcinogenicity: NTP Carcinogen – No IARC Monographs – Yes OSHA Regulated – No

Medical Conditions Generally Aggravated By Exposure: Unknown

Emergency and First Aid Procedures: Contact your local poison control for further health information.

Section VII – Precautions for Safe Handling and Use.

Steps to be taken in case material is released or spilled: Uncontaminated material may be salvaged and used. If contaminated, dispose.

Waste disposal Method: Dispose of paper towels in trash and rinse sponge. In manufacturing, dispose of in accordance to Local, State or Federal regulations.

Precautions to be taken in handling and storing: Always keep bags in dry area away from moisture.

Other Precautions: Adults should mix dry powder.

Section VIII- Control Measures

Respiratory Protection: Mix or handle dry material in locally exhausting hood or enclosed clay mixer. Use NIOSH certified mask for dust or mist.

Ventilation: Not needed.

Protective Gloves: Not needed.

Eye Protection: Not needed.

Other Protective Clothing or Equipment: Not needed.

Work / Hygienic Practices: Refer to AMACO Product Encyclopedia & Safety Manual.

Section IX – Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in our written acknowledgement.

Prepared by: L. Jenkins
2009